AWTA Product Testing

Australian Wool Testing Authority Ltd - trading as AWTA Product Testing A.B.N 43 006 014 106

1st Floor, 191 Racecourse Road, Flemington, Victoria 3031 P.O Box 240, North Melbourne, Victoria 3051 Phone (03) 9371 2400 Fax (03) 9371 2499

TEST REPORT

Client: Marcliff Engineering

> 39-41 Cawarra Road Caringbah NSW 2229

16-003303 Test Number : 04/07/2016 **Issue Date**

5/07/2016 **Print Date**

"Flexible elastomeric foam" **Sample Description** Clients Ref:

> Colour: Black

Insulation pipe for airconditioning End Use:

Nominal Composition: 30% NBR,40% PVC, 30% Other 60g/m2

Nominal Mass per Unit Area/Density:

Nominal Thickness:

AS/NZS 1530.3-1999 Methods for Fire Tests on Building Materials, Components and Structures

> Part 3: Simultaneous Determination of Ignitability, Flame Propagation, Heat Release and Smoke Release

Face tested: Face

Date tested: 04/07/2016

> Standard Error Mean

Ignition time Nil Nil min Flame propagation time Nil Nil sec Heat release integral Nil Nil k.l/m²

Smoke release, log d 0.0224 -1.1983

Optical density, d 0.0638 / metre

0 Number of specimens ignited: 6 Number of specimens tested:

Regulatory Indices:

Ignitability Index Range 0-20 Spread of Flame Index Range 0-10 Heat Evolved Index Range 0-10 Smoke Developed Index Range 0-10

63484 13171 Page 1 of 2

Australian Wool testing Authority Ltd Copyright - All Rights Reserved



Accredited for compliance with ISO/IEC 17025 - Chemical Testing

Mechanical Testing

Performance & Approvals Testing

: Accreditation No

: Accreditation No · Accreditation No.

1356

983

Samples and their identifying descriptions have been provided by the client unless otherwise stated. AWTA Ltd makes no warranty, implied or otherwise, as to the source of the tested samples. The above test results relate only to the sample or samples tested. This document shall not be reproduced except in full and shall be rendered void if amended or altered. This document, the names AWTA Product Testing and AWTA Ltd may be used in advertising providing the content and format of the advertisement have been approved by the Managing Director of AWTA Ltd.



AFI A JACKSON B.Sc.(Hons)

AWTA Product Testing

Australian Wool Testing Authority Ltd - trading as AWTA Product Testing A.B.N 43 006 014 106

1st Floor, 191 Racecourse Road, Flemington, Victoria 3031 P.O Box 240, North Melbourne, Victoria 3051 Phone (03) 9371 2400 Fax (03) 9371 2499

TEST REPORT

Client: Marcliff Engineering

> 39-41 Cawarra Road Caringbah NSW 2229

16-003303 Test Number : 04/07/2016 **Issue Date**

5/07/2016 **Print Date**

These results only apply to the specimen mounted, as described in this report. The result of this fire test may be used to directly assess fire hazard, but it should be recognised that a single test method will not provide a full assessment of fire hazard under all fire conditions.

Ignition is initiated by a pilot flame that is held near, but does not touch the specimen. A material that does not ignite during the standard test may ignite if contacted with a pilot flame during the test

Each test specimen had an unattached backing of 4.5mm thick fibre reinforced cement board.

Each test specimen was restrained on the exposed face by a layer of galvanised welded square mesh made from wire of nominal diameter 0.8mm and nominal spacing 12mm in both directions and the assembly clamped in four places.

63484 Page 2 of 2 13171

Australian Wool testing Authority Ltd Copyright - All Rights Reserved



Accredited for compliance with ISO/IEC 17025 - Chemical Testing

Mechanical Testing

Performance & Approvals Testing

: Accreditation No

· Accreditation No.

: Accreditation No 1356

983

Samples and their identifying descriptions have been provided by the client unless otherwise stated. AWTA Ltd makes no warranty, implied or otherwise, as to the source of the tested samples. The above test results relate only to the sample or samples tested. This document shall not be reproduced except in full and shall be rendered void if amended or altered. This document, the names AWTA Product Testing and AWTA Ltd may be used in advertising providing the content and format of the advertisement have been approved by the Managing Director of AWTA Ltd.



AFI A JACKSON B.Sc.(Hons)